

Entry Door Selection Guide



Table of Contents

Framing	
Endura FusionFrame	1
Endura FrameSaver	2
Endura Door Sills	3
Door Slabs	
Door Slab Materials	4
Panel Profiles	5
Grilles	
Simulated Divided Lites (SDL)	7
Grilles Between Glass (GBG)	9
Internal Blinds	
Blinds Between Glass	11
Blinds With Grilles Between Glass	13
Glass	
Vented Glass	13
Textured Glass	14
Multi-textured Glass	15
Cladding and Moulding	
FrontLine Cladding and Moulding	23
Installation	
Opening Specifications	24
Door Handing	24

+ Lensing Premium Entry Doors combine beauty and durability. 西 all a











Meet the maintenance-free frame system: FusionFrame® from Endura Products

FusionFrame takes all the benefits of all-composite and all-wood frames and combines them to make one door installation system known for its strength and performance.

Maintenance-Free Performance

- O Composite base and casing provide protection from rot and insects.
- Sendineered wood core for structural rigidity to resist sagging and bowing, even in extreme temperatures.

Flawless Finish

- Removable jamb and brickmould covers hide fasteners for a seamless finish.
- O Available in prefinished paintable white or a stainable textured finish.
- Ø "Floating" brickmould allows you to adjust freely to cover out-of-plumb openings.

Easy Installation

- O Built-in bubble level helps you get it right the first time. ⊘ A full portfolio of jamb, mull and casing options
- provides full versatility.
- O Rippable jamb widths let you customize and make adjustments easily.

Warrantied for Life.

- O Comes with limited lifetime warranty covering the product and installation labor.
- \odot Warranty is fully transferable.



Installation Instructions

FusionFrame's innovative design makes for an easier, better installation. Scan the QR code to watch how easy t is to install FusionFrame.



White and textured FusionFrame parts are in stock.





Paintable White Finish

The prefinished white This textured finish provides a smooth surface that's ready to be installed and natural wood look painted

Stainable **Textured Finish** is ready for any

oil-based stain for a

The rot-proof core of FusionFrame[®]: FrameSaver[®] Engineered Wood Frame

Kiss frame rot goodbye with FrameSaver®, the original rot-proof wood door frame solution. This engineered wood frame core is backed by a fully-transferable lifetime limited warranty - though you won't need it. Nothing protects your Lensing Premium Entry Door quite like the builder-trusted FrameSaver[®].

6 Benefits of FrameSaver®

- Field Proven: Over a decade of "non-rot" performance Lasts a Lifetime: Will not rot or decay and the lifetime limited warranty is transferable. Ready to be Finished: Paints and finishes just like real wood. No Wicking of Water or Swelling: The patented composite bottom won't absorb water so rot never begins.
 - Extreme Durability and Strength: The composite material is finger-jointed to wood for a perfect fit that maintains the structural integrity of the frame.
 - 180 Days of Protection: Comes standard with a 180day primer which offers excellent coverage.



Protecting your home from the elements: **Endura Door Sills**

Door sills can make or break a door system. That's why Lensing Premium Entry Doors come with Endura sills, which deliver unmatched performance against air and water infiltration.



Z-Series Adjustable Sill

- ⊘ Made up of allcomposite substrates and synthetic caps and nosing.
- Resists rotting, warping, discoloration or deteriorating over time.
- ⊘ Cap screw plugs protect the adjustment screws from unsightly damage and ensure consistently smooth adjustability over time.
- ⊘ Available in two aluminum deck colors: mill and bronze



Z-Series Articulating Sill

- Offers the benefits of the adjustable sill plus automatic adjustments.
- ⊘ Protects against leaks, drafts and insects, even when conditions aren't perfect or change over time.
- ✓ Spring-loaded cap never needs adjustment, automatically adjusting up or down to form a tight, lasting seal.
- ⊘ Available in two aluminum deck colors: mill and bronze



ADAptive Sill

- ⊘ This ADA-compliant door sill system doesn't leak.
- ⊘ The dam meets ADA height requirements, creates a seal between the door and sill and provides ease of entry.
- O The modular design works with interchangeable caps, enabling simple changes when flooring styles or application requirements change.
- Available in two aluminum deck colors: mill and bronze

Explore our three door slab materials. All fiberglass and steel doors come primed and ready for finish.



Wood Grain Fiberglass

- Resembles the beautiful, natural look of real fir, mahogany or oak wood grains.
- ⊘ High-definition panels with wider profiles provide more depth and authenticity than traditional fiberglass doors.
- O Won't warp, dent or rust.
- Hinges are available in colonial bronze, satin nickel, dull brass or bright brass.



Smooth Fiberglass

- ⊘ Light paint-brush-stroke texture can be painted any color without presanding or scuffing the surface.
- Seatures high-definition panels and wide profiles.
- ⊘ Won't warp, dent or rust.
- Hinges are available in colonial bronze, satin nickel, dull brass or bright brass.



Primed Steel

- steel facings offer safety, security and durability.
- Sectory primed for easy finishing.
- Sepoxy-primed core prevents corrosion.
- ⊘ Energy efficient core option is available.
- ⊘ Includes composite adjustable mill finish sill (single door styles) or articulating mill finish sill (non-single door styles)
- ⊘ Hinges are available in colonial bronze, satin nickel, dull brass or bright brass.

Panel profiles in wood grain fiberglass

<u>Fir Grain</u>









Mahogany Grain







Direct Glazed 🌑

2-Panel Euro



2-Panel Euro 🔵



6-Panel 🔵

4-Panel



3-Panel



3-Panel

3/4 1-Panel Open 🌑

Panel profiles in smooth fiberglass and steel

Smooth Fiberglass







5 | Lensing Premium Entry Door Systems

3-Panel Scroll

= In Stock

= In Stock



Grilles



Simulated Divided Lites

Simulated Divided Lites (SDL) offer the look of a true divided lite with the energy efficiency of a single lite. Each SDL comes with a mill finish spacer bar and backing strips for a true wood muntin appearance. SDLs come in finishable/paintable white or tan.



Simulated divided lites in white and tan frames are paintable and stainable.







Grilles Between Glass

Grilles Between Glass (GBG) offer the divided lite look but with a twist. The grilles are located in between the two panes of glass, adding style to your door and making the window easier to clean. Grilles Between Glass come in a variety of widths, styles and colors.





Grilles Between Glass come in a variety of colors, styles and widths.







Blinds Between Glass

Blinds Between Glass are a modern alternative to traditional blinds. These raise, lower and tilt blinds are completely enclosed between the two panes of glass, which eliminates dust on the blinds and maintains their beauty for years.



White



Silver Moon















Blinds Between Glass eliminate dust on the blinds and maintain their beauty for years.







Blinds with Grilles Between Glass

These enclosed blinds combine the beauty of Grilles Between Glass with the practicality of Blinds Between Glass.



Vented Glass

Vented Glass allows you to enjoy warm breezes when open and keep out the cold and wet weather when closed. The frame maintains its appearance thanks to its UV-resistance, and the screen can be removed for easy cleaning.





Explore our textured privacy glass styles.



3 C

C

LOW PRIVACY LEVEL HIGH

Mistify (Black)

V PRIVACY LEVEL HIGH



W PRIVACY LEVEL HIGH

OW PRIVACY LEVEL HIGH

Cumulus







Multi-textured glass: **Avenue**

Avenue combines minimalist and urban designs to create a tasteful retro look for your front entry. This door offers a medium level of privacy thanks to the panels of three diverse glass styles, feather, screen and hammered.



Multi-textured glass: Chanelle

Chanelle brings a stately, elegant and timeless touch to any home, classic or modern. With clean lines and bright bevels, it creates stunning light effects. Chanelle offers a medium level of privacy.



Features

Privacy

Rating

2 Screen Glass

3 Hammered Glass

4 Black Patina Caming

6

LOW PRIVACY LEVEL HIGH

🔮 = Helps Meet ENERGY STAR®

Glass



€ Half Glass 1-Panel

Lensing Premium Entry Door Systems | 16

6

LOW PRIVACY LEVEL HIGH

Privacy

Rating



Glass

Multi-textured glass: **Dorian**

Vertical lines in architecture bring to mind stability and skyward movement. Dorian combines patterns and texture for a high level of privacy and added elegance to your door.



Multi-textured glass: **Liano**

With Liano, intersecting arches paired with bold geometric shapes enhance your door with an appealing creative flair while providing medium privacy.



4 Aluminum Caming

LOW PRIVACY LEVEL HIGH

Features

Privacy

Rating





Privacy

Rating



2 Pebble Glass

Low Privacy Level High



Privacy Rating LOW PRIVACY LEVEL HIGH

Multi-textured glass: Margate

Margate's lattice design draws inspiration from the overlapping growth of palm leaves for an easy-breezy, yet elevated, entryway.

Multi-textured glass: Paragon

With granite glass elements intersecting an arched top comprised of clear bevels, this elegant and appealing design provides medium privacy.





Half Glass 2-Pane

€

③ 3/4 Glass 1-Panel



€

Half Glass Sidelite



#







€ Half Glass 1-Pane

Ca









Lensing Premium Entry Door Systems | 20



Design Features 1 Chinchilla Glass 2 Clear Beveled Glass 3 Pebble Glass 4 Vapor Glass 5 Black Patina Camina (Also available in zinc)

Privacy Rating

LOW PRIVACY LEVEL HIGH

21 | Lensing Premium Entry Door Systems

Multi-textured glass: Portrait/Landscape

This attractive minimalist design blends textured glass with clear bevels providing simplicity and privacy. This decorative glass is available in two types of carring: Portrait in black and Landscape in zinc.



Multi-textured glass: Pure/Zenith

Pure and Zenith add refinement to your home and are perfect for any design, whether paired with a bold, textured exterior or a minimalist entryway. Contemporary and on-trend, these decorative glass designs are just what you need for your home.

Pure · Full Glass	Pure • 3/4 Glass I-Panel	Pure · Full Glass Sidelite
Zenith · Full Glass	Zenith • 3/4 Glass 1-Panel	
 Zenith • 3/4 Glass Sidelite Zenith • Full Glass Sidelite 	Zenith • Half Glass Sidelite	

🤡 = Helps Meet ENERGY STAR®

Glass



Lensing Premium Entry Door Systems | 22

€

3/4 Glass

Sidel

④ Zenith • Half Glass 1-Panel

Heavy duty protection for your opening: FrontLine Aluminum Cladding and Moulding

FrontLine Aluminum Cladding and Moulding is designed for durability. The heavy-duty extruded aluminum resists denting, chipping, cracking and peeling.

Other product features include:

Two available profiles

Pick from two profiles, Brickmould and Crownline. Brickmould has the same dimension and profile as wood 180 brickmould. The Crownline profile offers a medium width nosing profile.

Flexibility in application

The aluminum cladding and moulding are compatible with any entry door system and any door configuration. Also, they are storm door ready after installation.

No painting required

The cladding and moulding come in the following 12 standard colors, eliminating the need for painting. See the available colors below.







Crownline

Profile

Brickmould Profile



Details needed for installation: **Opening Specifications and Door Handing**

Use the following chart and images to help determine the width and height of your opening and the handing of your door.

Opening Specifications

Unit Size	Opening Type	Width	Height		
6'8" High Inswing Door Units Deduct 5/8" for outswing and ADA sill units					
2'8″	Rough Opening	34″	82 1/4″		
	Tip to Tip Brick Mould	36″	83″		
2/0//	Rough Opening	38″	82 1/4″		
3′0″	Tip to Tip Brick Mould	40″	83″		
1′0″ - 3′0″	Rough Opening	51 1/2″	82 1/4"		
	Tip to Tip Brick Mould	53 1/2″	83″		
1′2″ - 3′0″	Rough Opening	53 1/2″	82 1/4″		
12 - 30	Tip to Tip Brick Mould	55 1/2″	83″		
1, 0, 2,0, 10	Rough Opening	65″	82 1/4"		
1′-0″ - 3′0″ - 1′0″	Tip to Tip Brick Mould	67″	83″		
1′2″ - 3′0″ - 1′2″	Rough Opening	69″	82 1/4″		
	Tip to Tip Brick Mould	71″	83″		
5′0″ Double	Rough Opening	62 1/2″	82 1/4″		
	Tip to Tip Brick Mould	64 1/2″	83″		
	Rough Opening	66 1/2″	82 1/4″		
5'4" Double	Tip to Tip Brick Mould	68 1/2″	83″		
6'0" Double	Rough Opening	74 1/2″	82 1/4″		
6 0 Double	Tip to Tip Brick Mould	76 1/2″	83″		
6'0" Patio	Rough Opening	75 1/2″	82 1/4″		
	Tip to Tip Brick Mould	77 1/2″	83″		
0/0" Datio	Rough Opening	113″	82 1/4″		
9'0" Patio	Tip to Tip Brick Mould	115″	83″		

Retrofit Door Units

Retrofit 6'0" Patio	Rough Opening	71 1/2″	80″
	6'0" Patio	Tip to Tip Brick Mould	73 1/2″

For frame size, deduct 1/2" width and 1/2" height from rough opening size. Brickmould dimensions may be \pm 1/8".

Door Handing

Door handing refers to the direction the door swings when opened. The following door units are viewed from the exterior.

Inswing Doors

Single Doors





Left Hand

Right Hand

Double Doors





Left Hand

Right Hand

6'0" Patio Doors





Left Hand

Right Hand



Single Doors





Left Hand

Right Hand

Double Doors





Left Hand

Right Hand



Your dream door awaits.

Lensing Premium Entry Doors are custom entry doors combining beauty and durability. You design your dream door by choosing from a wide range of door slabs, panel profiles, glass styles, grille designs, sidelites and more. The hardest part of customizing your door is deciding between all the remarkable possibilities.

For added peace of mind, every Lensing Premium Entry Door comes with a frame system that is tough as nails and complements the beauty of the door. If you're ready to transform your home's exterior, look no further than a Lensing Premium Entry Door System.



Download this Entry Door Selection Guide.

Visit LensingBuildingSpecialties.com/Door-Guide or scan the QR code to download this catalog.